



NPT (Female) x NPT (Female)				
Sr. No.	Inlet Thread Type NPT Female	Outlet Thread type NPT Female	Drain with Plug Thread type NPT Female	Model No. For MOC: SS316
1	1/2"	1/2"	1/4"	SS-2VMR-8F-8F-4F
2	1/2"	1/2"	1/2"	SS-2VMR-8F-8F-8F



Material Grade Selection Chart	
For following Material Grade (MOC)	Replace First Two Letters of Model No. with following
SS316L	SSL
SS304	S4
SS304L	S4L
Brass	B
Alloy 400	ML
Alloy 600	INC
Alloy C276	HC
PTFE	T
Carbon Steel	CS

Note: Above Model Nos. are for NPT Threads. For BSP Threads Add -B & for BSPT Threads add -BT at end of Model Nos.

NPT (Female) x Transmitter Flange				
Sr. No.	Inlet Transmitter Flange	Outlet Transmitter Flange	Drain with Plug Thread type NPT Female	Model No. For MOC: SS316
1	TF	TF	NA	SS-3VMH-TF-TF
2	TF	TF	1/4"	SS-3VMH-TF-TF-4F




Material Grade Selection Chart	
For following Material Grade (MOC)	Replace First Two Letters of Model No. with following
SS316L	SSL
SS304	S4
SS304L	S4L
Brass	B
Alloy 400	ML
Alloy 600	INC
Alloy C276	HC
Carbon Steel	CS

Accessories: 4 Nos. 5/16" UNF Bolts & 2 No. PTFE Seal Ring

NPT (Female) x NPT (Female)

Sr. No.	Inlet Thread Type NPT Female	Outlet Thread type NPT Female	Model No. For MOC: SS316
1	1/2"	1/2"	SS-3VMR-8F-8F



Material Grade Selection Chart

For following Material Grade (MOC)	Replace First Two Letters of Model No. with following
SS316L	SSL
SS304	S4
SS304L	S4L
Brass	B
Alloy 400	ML
Alloy 600	INC
Alloy C276	HC
PTFE	T
Carbon Steel	CS

Note: Above Model Nos. are for NPT Threads. For BSP Threads Add -B & for BSPT Threads add -BT at end of Model Nos.

Head Office

"TRUEWAY HOUSE", Plot No. **535/14-15**, Sonawala Cross Road No. 2, Nr. M.K. Industrial Estate, Goregaon (East),
Mumbai - 400 063, INDIA. **Mobile : +91 9321756212, +91 9004146034 | Phone : +91 22 26852241, 26851052.**


E-mail

sales@truewayindia.com

Website

www.truewayindia.com

NPT (Female) x NPT (Female)				
Sr. No.	Inlet Thread Type NPT Female	Outlet Transmitter Flange	Drain with Plug Thread type NPT Female	Model No. For MOC: SS316
1	1/2"	1/2"	1/4"	SS-5VMR-8F-8F-4F



Material Grade Selection Chart	
For following Material Grade (MOC)	Replace First Two Letters of Model No. with following
SS316L	SSL
SS304	S4
SS304L	S4L
Brass	B
Alloy 400	ML
Alloy 600	INC
Alloy C276	HC
Carbon Steel	CS

Note: Above Model Nos. are for NPT Threads. For BSP Threads Add -B & for BSPT Threads add -BT at end of Model Nos.


Head Office

"TRUEWAY HOUSE", Plot No. 535/14-15, Sonawala Cross Road No. 2, Nr. M.K. Industrial Estate, Goregaon (East), Mumbai - 400 063, INDIA. **Mobile : +91 9321756212, +91 9004146034 | Phone : +91 22 26852241, 26851052.**

E-mail
sales@truewayindia.com
Website
www.truewayindia.com

NPT (Female) x Transmitter Flange

Sr. No.	Inlet Thread Type NPT Female	Outlet Transmitter Flange	Drain with Plug Thread type NPT Female	Model No. For MOC: SS316
1	1/2"	TF	1/4"	SS-5VMT-8F-TF-4F



Material Grade Selection Chart

For following Material Grade (MOC)	Replace First Two Letters of Model No. with following
SS316L	SSL
SS304	S4
SS304L	S4L
Brass	B
Alloy 400	ML
Alloy 600	INC
Alloy C276	HC
Carbon Steel	CS

Note: Above Model Nos. are for NPT Threads. For BSP Threads Add -B & for BSPT Threads add -BT at end of Model Nos.
 Accessories: 4 Nos. 5/16" UNF Bolts & 2 No. PTFE Seal Ring

Head Office

"TRUEWAY HOUSE", Plot No. 535/14-15, Sonawala Cross Road No. 2, Nr. M.K. Industrial Estate, Goregaon (East), Mumbai - 400 063, INDIA. Mobile : +91 9321756212, +91 9004146034 | Phone : +91 22 26852241, 26851052.

E-mail


sales@truewayindia.com

Website

www.truewayindia.com

NPT (Female) x Transmitter Flange

Sr. No.	Inlet Thread Type NPT Female	Outlet Transmitter Flange	Drain with Plug Thread type NPT Female	Model No. For MOC: SS316
1	1/2"	TF	1/4"	SS-2VMT-8F-TF-4F



Material Grade Selection Chart

For following Material Grade (MOC)	Replace First Two Letters of Model No. with following
SS316L	SSL
SS304	S4
SS304L	S4L
Brass	B
Alloy 400	ML
Alloy 600	INC
Alloy C276	HC
PTFE	T
Carbon Steel	CS

Note: Above Model Nos. are for NPT Threads. For BSP Threads Add -B & for BSPT Threads add -BT at end of Model Nos.
Accessories: 2 Nos. 5/16" UNF Bolts & 1 No. PTFE Seal Ring

Head Office

"TRUEWAY HOUSE", Plot No. 535/14-15, Sonawala Cross Road No. 2, Nr. M.K. Industrial Estate, Goregaon (East),
 Mumbai - 400 063, INDIA. **Mobile : +91 9321756212, +91 9004146034 | Phone : +91 22 26852241, 26851052.**

E-mail


sales@truesdayindia.com

Website

www.truesdayindia.com

NPT (Female) x Transmitter Flange

Sr. No.	Inlet Thread Type NPT Female	Outlet Transmitter Flange	Drain with Plug Thread type NPT Female	Model No. For MOC: SS316
1	1/2"	TF	NA	SS-3VMT-8F-TF
2	1/2"	TF	1/4"	SS-3VMT-8F-TF-4F



Material Grade Selection Chart

For following Material Grade (MOC)	Replace First Two Letters of Model No. with following
SS316L	SSL
SS304	S4
SS304L	S4L
Brass	B
Alloy 400	ML
Alloy 600	INC
Alloy C276	HC
PTFE	T
Carbon Steel	CS

Note: Above Model Nos. are for NPT Threads. For BSP Threads Add -B & for BSPT Threads add -BT at end of Model Nos.
 Accessories: 4 Nos. 5/16" UNF Bolts & 2 No. PTFE Seal Ring

Head Office

"TRUEWAY HOUSE", Plot No. 535/14-15, Sonawala Cross Road No. 2, Nr. M.K. Industrial Estate, Goregaon (East),
 Mumbai - 400 063, INDIA. **Mobile : +91 9321756212, +91 9004146034 | Phone : +91 22 26852241, 26851052.**

E-mail

sales@truewayindia.com

Website

www.truewayindia.com